

Fig. 1





Fig. 2 Activity of cathepsin B



LEGEND: CAT_B_GE: Activity of cathepsin B of healthy lung tissue before withdrawing the inhibitor.

CAT_B_TU: Activity of cathepsin B of tissue, showing a tumor in the lung, before withdrawing the inhibitor.


CBGE: Activity of cathepsin B of healthy lung tissue after withdrawing the inhibitor.

CBTU: Activity of cathepsin B of tissue, showing a tumor in the lung, after withdrawing the inhibitor.

N: Case number.

Y-axis: activity in $\mu\text{U}/\text{mg}$ protein.

Fig. 3 Amount of protein



LEGEND: PROT_GES: Amount of protein of healthy lung tissue before withdrawing the inhibitor.

PROT_TU: Amount of protein of tissue, showing a tumor in the lung, before withdrawing the inhibitor.


PGE: Amount of protein of healthy lung tissue after withdrawing the inhibitor.

PTU: Amount of protein of tissue, showing a tumor in the lung, after withdrawing the inhibitor.

N: Case number.

Y-axis: Amount of protein in mg/ml.

Fig. 4 Activity of cathepsin B



LEGEND: CBG:

Activity of cathepsin B of healthy lung tissue before and after withdrawing the inhibitor.

CBT:

Activity of cathepsin B of tissue, showing a tumor in the lung, before and after withdrawing the inhibitor.


X-axis:

Time in minutes; 0 min refers to the state before and the other values to the state after withdrawing the inhibitor.

Y-axis:

activity in $\mu\text{U}/\text{mg}$ protein.

Fig. 5 Activity of cathepsin H




LEGEND: CHG: Activity of cathepsin H of healthy lung tissue before and after withdrawing the inhibitor.

CHT: Activity of cathepsin H of tissue, showing a tumor in the lung, before and after withdrawing the inhibitor.

X-axis: Time in minutes; 0 min refers to the state before and the other values to the state after withdrawing the inhibitor.

Y-axis: activity in $\mu\text{U}/\text{mg}$ protein.

Fig. 6 Activity of cathepsin L



LEGEND: CLG: Activity of cathepsin H of healthy lung tissue before and after withdrawing the inhibitor.

CLT: Activity of cathepsin H of tissue, showing a tumor in the lung, before and after withdrawing the inhibitor.


RAG: Remaining activity of CLG after adding of a specific inhibitor for cysteine proteinases (E64).

RAT: Remaining activity of CLT after adding of E64.

X-axis: Time in minutes; 0 min refers to the state before and the other values to the state after withdrawing the inhibitor.

Y-axis: activity in $\mu\text{U}/\text{mg}$ protein.

Fig. 7 Amount of protein



LEGEND: PG: Amount of protein of healthy lung tissue before and after withdrawing the inhibitor.

PT: Amount of protein of tissue, showing a tumor in the lung, before and after withdrawing the inhibitor.

X-axis: Time in minutes; 0 min refers to the state before and the other values to the state after withdrawing the inhibitor.

Y-axis: Amount of protein in mg/ml.

FIG. 8

Kaplan-Meier Graph (Survival-Graph)





FIG. 9

Device for a quick test



LEGEND:

- A: State before use
 B: State after sucking in the sample
 C: State after filling in the sample in the reaction vessel

- 1: Syringe
 2: Plunger
 3: Microfilter
 4: Chromatographic carrier with enzyme coupled to it
 5: Aperture of the syringe for filling in and discharging the sample, provided with a microfilter
 6: Space filled with liquid
 7: Reaction vessel